## **INVITATION TO BID**

## Sekhukhune District Municipality invites Bids from suitably

qualified Service Providers to supply and deliver the following:

BID NO.	BID DESCRIPTION	DOC. FEE	COMPULSORY BRIEFING SESSION	CLOSING DATE & TIME
	Provision of ICT Project Management Support for a Period of Three (3) years	R300	Groblersdal Fire Station on 26/01/2016 at 10:00	18/02/2016 at 11:00
	Purchase of Emergency Management Services Fire Fighting Equipments	R300	Groblersdal Fire Station on 21/01/2016 at 10:00	03/02/2016 at 14:00
SK8/3/1- 43/2015/16	Transaction Advisor Services to the Sekhukhune District Municipality for the Smart Meter System Revenue Enhancement Project	R300	Groblersdal Fire Station on 21/01/2016 at 12:00	03/02/2016 at 11:00
SK8/3/1- 44/2015/16	Convenient Payment Services for Sekhukhune District Municipality for a Period of Three (3) Years	R300	Groblersdal Fire Station on 26/01/2016 at 12:00	18/02/2016 at 14:00

Documents will be available from the dates of briefing sessions at Sekhukhune District Municipality Cashier's Office: Bareki Mall Offices, Cnr Van Riebeek and Chris Wild Street, GROBLERSDAL, 0470. Duly completed Bid documents must be deposited in the Bid Box available at Groblersdal Fire Station, GROBLERSDAL.

Queries related to the Bid can be addressed to Esrom Selebalo, Manager Supply Chain Management at 013 262 7669 during office hours.

Technical enquiries to Vicky Chabedi ICT at 013 262 7440, Tshepo Puane EMS at 013 262 7434 and Busisiwe Matjie for Revenue at 013 262 7680.

The District Municipality is not obliged to appoint the Tenderer with the lowest price and reserves the right not to make any appointment.

## Please note:

- ◆ Late Bids, telegraphic Bids or faxed Bids will not be considered.
- ♦ Attachment of Original Valid Tax Clearance Certificate is compulsory.
- Certified copies of Company Registration Documents are compulsory.
- ♦ Certified copy of BBBEE Verification Certificate.

MS M.F. MOKOKO - MUNICIPAL MANAGER - SDM



SEKHUKHUNE District Municipality

Iniswa Promotions - 012-548 5800/4768